Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	11	("5408573" "5495390" "5933614" "6321091" "6336091" "6580884" "6586887" "6704879" "6763458" "6816975" "6895517").PN.	US-PGPUB; USPAT; USOCR	ADJ	ON	2007/05/09 09:50
L3	0	("7100068").URPN.	USPAT	ADJ	ON	2007/05/09 09:55
L4	166	((knob or selector) with fan) and computer	USPAT	ADJ	ON	2007/05/09 09:55
L5	45	((knob or selector) with fan with speed) and computer	USPAT	ADJ	ON	2007/05/09 10:17
L6	3	"6627829"	USPAT	ADJ	ON	2007/05/09 10:18
S1	66	715/966.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/24 09:56
S2	105	715/965.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/24 10:46
S3	338	715/771.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/24 10:50
S4	1	S3 and (fan adj speed)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/24 10:48
S5	3	S3 and (clock adj rate)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2007/01/24 10:48

CC		(-d),	LIC DOSLIE		ON	2007/02/42 42-42
S6	92	(adjust or set or change or edit or control or move or modify) near2 processor near2 (clock adj (cycle or rate or count))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/12 13:43
S7	3	(processor adj clock adj rate) and (fan adj speed)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/24 12:15
S8	39	(processor adj clock adj speed) and (fan adj speed)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/24 12:34
S9	858	713/322.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/24 12:20
S10	108	S9 and fan	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/24 12:20
S11	385	345/184.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/24 12:35
S12		S1 and (processor adj clock) and fan	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/24 12:35

			-			
S13	1	S11 and (processor adj clock) and fan	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON ·	2007/01/24 12:35
S14	1	S11 and (processor adj clock)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR T	ON	2007/01/24 12:35
S15	344	715/771.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2007/03/12 13:40
S16	3	S15 and (clock adj rate)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/12 13:40
S17	2636	(adjust or set or change or edit or control or move or modify) near2 (fan adj speed)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2007/03/12 13:49
S18	166	cpu with (performance adj control)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/12 13:58
S19	49	processor adj (performance adj control)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/03 12:12

S20	1	10/808950	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/03 10:07
S21	8418	(performance control)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/03 14:23
S22	. 10	S21 and (processor (clock or rate)) and fan	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/03 12:40
S23	0	("7167993").URPN.	USPAT	ADJ	ON	2007/05/03 12:19

S24	120	("200201830	 973" "3453	601" l	US-PGPUB;	ADJ	ON	2007/05/03 12:32
J27	120		"4279020"		USPAT;	703	51	2007/03/03 12:32
			"4409665"	•	USOCR			
		•	"4672228"	•	OSOCIA			
			"4698748"	·				
			"4756473"	•				
			"4893271"					
			"4980836"	•				
			"5036493"	•				
			"5121291"	•				
			"5134703"	•				
		"5167024"	"5189314"	"5201059"				
j		"5218704"	"5222239"	"5230055"				
		"5230074"	"5239652"	"5241680"				
		"5249741"	"5254928"	"5287244"				
		"5287292"	"5291607"	"5349688"				
			"5355501"					
			"5375230"					
			"5392437"	•				
			"5418751"	•				
			"5426755"	•				
		,	"5457766"	•			,	
			"5473767"	•				
Ì		1	"5483656"	•	'			
Ì		,	"5500509" "EE04008"	•				
ŀ		,	"5504908" "5526289"		1		İ	
			"55 4 6568"					
			"5557551"					
		1	"5560020"	•				
		,	"5579524"	•				
			"5622789"	•				
1		•	"5630148"	•				,
		•	"5664201"	•				
1		"5687079"		"5719800"				
1		"5721837" j		"5745375"				
		"5809336"	"5812832"	"5838578"				
			"5920264"					
ł				"6243656"				
			"6463396"	"6630754").				
		PN.						
S25	35	amd.as.			US-PGPUB;	ADJ	ON	2007/05/03 12:33
					USPAT;			
					USOCR			
S26	25/20	amd				ADJ	ON	2007/05/02 12:24
320	25439	amd			US-PGPUB; USPAT;	נטא	UN	2007/05/03 12:34
					USOCR			
ŀ								
S27	9076	(advanced r	micro device	s).as.	US-PGPUB;	ADJ	ON	2007/05/03 12:35
					USPAT;	1		
					USOCR			
S28	13	S21 and S21	7		US-PGPUB;	ADJ	ON	2007/05/03 12:34
	_				USPAT;			
					USOCR			
		1				<u> </u>		1

S29	0	S27 and (cool near3 quiet)	US-PGPUB; USPAT; USOCR	ADJ	ON	2007/05/03 12:36
S30	0	S27 and (coolnquiet)	US-PGPUB; USPAT; USOCR	ADJ	ON	2007/05/03 12:36
S31	0	S27 and (cool'n'quiet')	US-PGPUB; USPAT; USOCR	ADJ	ON	2007/05/03 12:36
S32	0	S27 and (cool'n'quiet)	US-PGPUB; USPAT; USOCR	ADJ	ON	2007/05/03 12:36
S33	78	S27 and (\$6quiet)	US-PGPUB; USPAT; USOCR	ADJ	ON	2007/05/03 12:37
534	15	S27 and (processor (clock or rate)) and fan	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/03 13:53
S35	23	variable speed processor	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/03 14:07
S36	3365	(adjust or alter or change or tune or modify or regulate or calibrate or readjust or set) with (clock rate)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/03 14:11
S37	242	(adjust or alter or change or tune or modify or regulate or calibrate or readjust or set) with (clock rate) with (operation or runtime or (run time) or run-time or execution)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/03 14:12
S38	18	S37 and (gui or ui or (user interface) or (graphical user interface) or (graphical interface))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/03 14:13

S39	0	("2005/0212781").URPN.	USPAT	ADJ	ON	2007/05/03 14:19
S40	343	(cpu or computer or processor or pc) with (performance control) with (apparatus or device or system or button or knob or selector or dial)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/03 14:25
S41	25	("6014611").URPN.	USPAT	ADJ	ON	2007/05/03 14:38
S42	53	adjust near2 (cpu or processor) near2 performance	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ .	ON .	2007/05/04 09:08
S43	789	user with adjust near2 (cpu or processor or fan or clock)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/04 09:11
S44	598	S43 and (computer or pc)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/04 09:11
S45	11579829	performance control apparatus	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/04 15:05
S46	128	performance control apparatus	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/04 15:06
S47	34	adjust processing speed	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/04 15:07

S48	21	(selector or knob) with diode with max with minimum	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/07 16:11
S49	0	(knob) with diode with max with minimum	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/07 16:12
S50	891	(knob) with diode	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/07 16:12
S51	1	(user with modify with performance) and (clock rate) and fan	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/07 16:16
S52	109	(user with performance) and (clock rate) and fan	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON .	2007/05/07 16:18
S53	18	user with (overclock or (over clock) or over-clock) with processor	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/07 16:24
S54	82	(overclock or (over clock) or over-clock) with processor	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ .	ON	2007/05/07 16:40

S55	6	S54 and fan	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/07 16:24
S56	83	(overclock or (over clock) or over-clock) with (cpu or computer)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/07 16:42
S57	63	S56 not S54	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/07 16:53
S58	4	S57 and fan	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/07 16:42
S59	2	jp "08076874"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/07 17:07
S60	18	user with (change or altar or update or adjust or set) with ((operating frequency) or (power voltage)) with (cpu or processor or computer or pc)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/07 17:09
S61	0	("7100068").URPN.	USPAT	ADJ	ON	2007/05/08 11:19
S62	11	("5408573" "5495390" "5933614" "6321091" "6336091" "6580884" "6586887" "6704879" "6763458" "6816975" "6895517").PN.	US-PGPUB; USPAT; USOCR	ADJ	ON	2007/05/08 08:29
S63	12	performance control application	US-PGPUB; USPAT; USOCR	ADJ	ON	2007/05/08 08:35

S64	. 0	(file type group\$3) same configuration with run with (performance or fan or clock or cpu)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/08 08:38
S65		(file type group\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/08 08:44
S66	0	automatic with fan with (file extension)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/08 08:44
S67	0	control with fan with (file extension)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/08 08:45
S68	2196	automatic with fan with control	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/08 08:46
S69	17	automatic\$4 with configur\$5 with (file extension)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/08 08:51
S70	106	715/965.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/08 08:51

					,	
S71	1	S70 and (file extension)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/08 08:52
S72		S70 and (filename extension)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/08 08:52
S73	1	S70 and (file name extension)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/08 08:52
S74	0	S70 and (file-name extension)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/08 08:53
S75	15	S70 and (extension)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/08 08:53
S76	4	S75 and (clock or fan)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/08 08:56
S77	1	S70 and (file type) .	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/08 08:57

S78	69	715/966.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/08 08:59
S79	2	S78 and ((file extension) or (file type))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/08 08:58
S80	16	("5550970").URPN.	USPAT	ADJ .	ON	2007/05/08 09:31
S81	34	automatic with fan with application	USPAT	ADJ	ON	2007/05/08 09:31
S82	86	automatic with fan with application	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/08 09:35
S83	8	("5006978" "5027271" "5050070" "5193189" "5210872" "5255211" "5369570" "5428782").PN.	US-PGPUB; USPAT; USOCR	ADJ	ON	2007/05/08 09:31
S84	0	adjust with (operating frequency) with file	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/08 09:35
S85	1164	adjust with (operating frequency)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/08 09:35
S86	70	automatic\$4 with adjust with (operating frequency)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/08 09:39

			_			
S87	49	automatic\$4 with adjust with ((clock\$3 frequency) or (clock\$3 speed) or (clock\$3 rate) or (processor speed) or (processor rate) or processor) with (application or (file type) or (file extension) or extension or (program))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/08 09:41
S88	20	("5958058").URPN.	USPAT	ADJ	ON	2007/05/08 09:46
S89	46	((power setting\$1) or (power management)) with ((file extension\$1) or (file name extension) or extension or (file name))	USPAT	ADJ	ON	2007/05/08 11:28
S90	0	((power setting\$1) or (power management)) with ((file type))	USPAT	ADJ	ON	2007/05/08 15:55
S91	689	(selector or knob) with plurality with (diode or led or light)	USPAT	ADJ	ON	2007/05/08 17:36
S92	73	(selector or knob) near3 plurality near2 (diode or led or light)	USPAT	ADJ	ON	2007/05/08 16:03
S93	1	S92 and (change color)	USPAT	ADJ	ON	2007/05/08 16:03
S94	1	S92 and (color change)	USPAT	ADJ.	ON	2007/05/08 16:05
S95	106	715/772.ccls.	USPAT	ADJ	ON	2007/05/08 16:05
S96	0	S95 and selector with (led or diode)	USPAT	`ADJ	ON	2007/05/08 16:05
S97	20	S95 and (led or diode)	USPAT	ADJ	ON	2007/05/08 16:11
S98	5	S92 and (sequental\$2 or consecutive\$2 or continous\$2)	USPAT	ADJ	ON	2007/05/08 16:34
S99	0	"715"/\$.ccls. and (selector near5 (led or diode) with plurality) and color	USPAT	ADJ	ON	2007/05/08 16:35
S10 0	0	"715"/\$.ccls. and (selector near5 (led or diode) with plurality)	USPAT	ADJ	ON	2007/05/08 16:35
S10 1	2	"715"/\$.ccls. and (selector near5 (led or diode))	USPAT	ADJ	ON	2007/05/08 16:39
S10 2	6	"715"/\$.ccls. and (knob near5 (led or diode))	USPAT	ADJ	ON	2007/05/08 16:40
S10 3	2	"715"/\$.ccls. and (knob near5 (led or diode)) and rotary	USPAT	ADJ	ON	2007/05/08 16:41
S10 4	7	"715"/\$.ccls. and (knob with (led or diode))	USPAT	ADJ	ON	2007/05/08 16:42
S10 5	19	"715"/\$.ccls. and ((knob or selector) with (led or diode))	USPAT	ADJ	ON	2007/05/08 16:44
S10 6	735	((knob or selector) near3 (led or diode))	USPAT	ADJ	ON	2007/05/08 16:44
S10 7	171	((knob) near3 (led or diode))	USPAT	ADJ	ON	2007/05/08 16:44

			1			
S10 8	1	("6862482").URPN.	USPAT	ADJ	ON	2007/05/08 16:48
S10 9	13	("20030168084" "3557637" "4245309" "4510778" "4663538" "4866955" "4977394" "5237256" "5279134" "5560060" "5786987" "6169964").PN.	US-PGPUB; USPAT; USOCR	ADJ	ON	2007/05/08 16:50
S11 0	11	S109 and (diode or led)	US-PGPUB; USPAT; USOCR	ADJ	ON	2007/05/08 16:52
S11 1	0	led with change with color with select with knob	US-PGPUB; USPAT; USOCR	ADJ	ON	2007/05/08 16:53
S11 2	5	led with change with color with knob	US-PGPUB; USPAT; USOCR	ADJ	ON	2007/05/08 16:56
S11 3	32	(led with change with color) same knob	US-PGPUB; USPAT; USOCR	ADJ	ON	2007/05/08 16:56
S11 4	2	10/755756	US-PGPUB; USPAT; USOCR	ADJ	ON	2007/05/08 16:57
S11 5		10/755756	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/08 17:23
S11 6	62	knob with led with color	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/08 17:33
S11 7	61	(knob with led same color) not S116	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/08 17:34
S11 8	219	(selector or knob) with plurality with (diode or led)	USPAT	ADJ	ON	2007/05/08 17:36
S11 9	7	(selector or knob) with plurality with (diode or led)with color	USPAT	ADJ	ON	2007/05/08 17:36
S12 0	7	(selector or knob) with plurality with (diode or led) with color	USPAT	ADJ	ON	2007/05/08 17:41

S12 1	219	(selector or knob) with plurality with (diode or led)	USPAT	ADJ	ON	2007/05/08 17:42
S12 2	1	(((selector or knob) with plurality with (diode or led)) same color) not S120	USPAT	ADJ	ON	2007/05/08 17:43
S12 3	219	(((selector or knob) with plurality with (diode or led)))	USPAT	ADJ	ON	2007/05/08 17:48
S12 4	32	(((selector or knob) with plurality with (diode or led))) and color	USPAT	ADJ	ON	2007/05/08 17:48
S12 5	2	("6627829").URPN.	USPAT	ADJ	ON	2007/05/08 17:51
S12 6	6	("5464955" "5747759" "5861589" "6155691" "6207913" "6479769"). PN.	US-PGPUB; USPAT; USOCR	ADJ	ON	2007/05/08 17:52